

C O R E H I S T O L O G Y S O L U T I O N S

HISTOCORE

ROTARY MICROTOME SOLUTIONS

PASSIONATE ABOUT QUALITY, COMMITTED TO SAFETY



For In Vitro Diagnostic Use

Advancing Cancer Diagnostics
Improving Lives

Leica
BIO SYSTEMS

CONSISTENT QUALITY AND EFFICIENCY FROM THE FIRST CUT TO THE LAST

For over 145 years, Leica Biosystems has been the global leader in microtomy. Our reliable and precise microtomes are designed to provide high quality sections, resulting in outstanding uptime. With our family of clinical rotary microtomes and years of experience, we bring the **ART OF SECTIONING** to your laboratory.



Maximize User Comfort and Efficiency

- The only personalized clinical rotary microtomes to improve your comfort by adapting the coarse feed wheel direction to your personal preference and in an ergonomic position close to the user. This results in helping reduce fatigue while trimming.
- The unique force balance system handles block sizes from biopsy to Super Cassette size, minimizing the risk of injury by an unbalanced object head.



Quick and Easy Cleaning within Seconds

- The antistatic waste tray increases efficiency by shortening cleaning time from minutes to seconds, and reduces contamination to the operator/environment by effectively collecting and containing waste.



Designed for High Quality IHC Sections

- Produce high quality paraffin sections for H&E, IHC and molecular techniques.
- Specimen cooling option allows for the block temperature to stay colder longer using the electrically cooled RM CoolClamp for standard cassettes, especially when cutting multiple sections for IHC or serial sections.



Your Complete Solution to Microtomy

- Keep your lab running smoothly with a complete line of high and low profile blades, cleaners and other accessories.
- The HistoCore PERMA S slide printing solution generates permanently printed slides at any microtome workstation, providing improved workflow and helps reduce errors in patient labeling.

Introducing our complete line of Clinical Microtomes, **designed with the user in mind**. We are committed to providing consistent quality and enhanced efficiency, while maintaining a safe and healthy workplace.

**HistoCore BIOCUT****HistoCore MULTICUT****HistoCore AUTOCUT**

Microtome type	Mechanical manual	Semi Motorized	Fully motorized
Personalized coarse feed wheel for improved comfort.	✓	✓	✓
Unique force balance system reduces the risk of injury by an unbalanced object head.	✓	✓	✓
The anti-static waste tray reduces contamination and provides unmatched efficiency through shortened cleaning times.	✓	✓	✓
2-in-1 blade holder for both, high and low profile blades.	✓	✓	✓
Quiet retraction provides reduced noise during prolonged operation.	✓	✓	✓
Rapid specimen exchange with fast homing and programmable Memory position		✓	✓
Electronic brake allows for safe blade and specimen handling.			✓

✓ = NEW

**TECHNICAL DATA**

	HistoCore BIOCUT	HistoCore MULTICUT	HistoCore AUTOCUT
Type of microtome	Mechanical	Semi Motorized	Fully Motorized
GENERAL			
Nominal supply voltages:	N/A	100 / 120 / 230 / 240 V AC	100 / 120 / 230 / 240 V AC
Nominal frequency:	N/A	50/60 Hz	50/60 Hz
DIMENSIONS AND WEIGHT			
Width (including handwheel and coarse feed wheel)			
Depth (including the section waste tray)			
Height (without top tray)			
H x W x D:	477 mm x 620 mm x 295 mm	477 mm x 620 mm x 295 mm	477 mm x 620 mm x 295 mm
Weight (without accessories):	Approx. 31 kg	Approx. 31 kg	Approx. 40 kg
MICROTOME			
Section thickness setting range:	1 - 60 µm	0.5 - 100 µm	0.5 - 100 µm
Trimming section thickness setting range:	10 µm, 30 µm	1 - 600 µm	1 - 600 µm
Specimen feed:	Approx. 24 mm ±2 mm	Approx. 24 mm ±1 mm	Approx. 24 mm ±1 mm
Vertical stroke:	70 mm ±1 mm	70 mm ±1 mm	70 mm ±1 mm
Maximum specimen size (H x W x D):	Large standard clamp: 55 x 50 x 30 mm Super Cassette clamp: 68 x 48 x 15 mm	Large standard clamp: 55 x 50 x 30 mm Super Cassette clamp: 68 x 48 x 15 mm	Large standard clamp: 55 x 50 x 30 mm Super Cassette clamp: 68 x 48 x 15 mm
Unique force balance system	Yes	Yes	Yes
Specimen retraction:	Approx. 40 µm; can be turned off	5 - 100 µm in 5 µm increments; can be turned off	5 - 100 µm in 5 µm increments; can be turned off
COARSE FEED AND MOTORIZED SECTIONING SPEEDS			
Slow forward and backward speed	N/A	300 µm/s	300 µm/s
Fast forward speed		800 µm/s	800 µm/s
Fast backward speed (fast homing)		1800 µm/s	1800 µm/s
Sectioning speed:	N/A (manual)	N/A (manual)	0-420 mm/s ±10 %
Personalized coarse feed wheel	User selectable	User selectable	User selectable
Specimen orientation with zero position horizontal / vertical rotation:	± 8° / ± 8°	± 8° / ± 8°	± 8° / ± 8°
Waste tray	Anti-static	Anti-static	Anti-static

LEICA BIOSYSTEMS IS AN INTERNATIONAL COMPANY WITH A STRONG NETWORK OF WORLDWIDE CUSTOMER SERVICES

For detailed contact information on your nearest sales office or distributor please visit our website: [LeicaBiosystems.com](https://www.LeicaBiosystems.com)

For In Vitro Diagnostic Use



Copyright © 2024 Leica Biosystems, a division of Leica Microsystems Inc. All Rights Reserved. LEICA and the Leica logo are registered trademarks of Leica Microsystems IR GmbH. HistoCore is a trademark of the Leica Biosystems group of companies in the USA and optionally in other countries. Other logos, product and/or company names might be trademarks of their respective owners.

Leica Biosystems is a global leader in workflow solutions and automation. As the only company to own the workflow from biopsy to diagnosis, we are uniquely positioned to break down the barriers between each of these steps. Our mission of "Advancing Cancer Diagnostics, Improving Lives" is at the heart of our corporate culture. Our easy-to-use and consistently reliable offerings help improve workflow efficiency and diagnostic confidence. The company is represented in over 100 countries. It has manufacturing facilities in 9 countries, sales and service organizations in 19 countries, and an international network of dealers. The company is headquartered in Nussloch, Germany. Visit [LeicaBiosystems.com](https://www.LeicaBiosystems.com) for more information.